

according to Regulation (EC) No 1907/2006

GRIP Marker Permanent BLACK 13/2399

Print date: 23.10.2015

Product code: 100-008-696

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

GRIP Marker Permanent BLACK 13/2399

Further trade names

Recipe No.: 13/2399

Included in

- Permanent Marker 150399 / 150499
- Permanent Marker Refill 150599
- Multimark permanent 151399, 152399, 152599

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Ink

1.3. Details of the supplier of the safety data sheet

Company name:	A.W. Faber-Castell Ges.m.b.H	
	Österreich	
Street:	Saag 7	
Place:	A-4090 Engelhartszell	
Telephone:	+43 (0)-7717-8053-0	Telefax: +43 (0)-7717-8053-4344
Contact person:	Dr. Gerhard Lugert	
e-mail:	Gerhard.Lugert@faber-castell.de	
Responsible Department:	Faber-Castell AG	
	Nürnberger Str. 2	
	D-90546 Stein	
	Abtlg. TEC	
	Dr. Gerhard Lugert, +49 (0) -911-9965	5550, privat: +49 (0)-911-61 64 26
	Wolfgang Schwarz, +49 (0) -911-9965	5878
1.4. Emergency telephone	+49 (0) -911-9965 5550	
number:	+49 (0) -911-61 64 26	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 2 Hazard Statements: Highly flammable liquid and vapour.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word:

Pictograms:



Danger

Hazard statements

H225

Highly flammable liquid and vapour.

Precautionary statements

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



according to Regulation (EC) No 1907/2006

GRIP Marker Permanent BLACK 13/2399

Print date: 23.10.2015	Product code: 100-008-696	Page 2 of 9
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical/ventilating/lighting equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P370+P378	In case of fire: Use Water. Carbon dioxide (CO2). Dry chemical. to extinguish.	
P403+P235	Store in a well-ventilated place. Keep cool.	

2.3. Other hazards

No data.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Alcohol-based inks with dyestuff and additives.

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to	Regulation (EC) No. 1272/2008 [C	LP]	
64-17-5	ethanol, ethyl alcohol			50 - < 55 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2; H225			
107-98-2	1-methoxy-2-propanol; mo	onopropylene glycol methyl ether		15 - < 20 %
	203-539-1	603-064-00-3	01-2119457435-35	
	Flam. Liq. 3, STOT SE 3;	H226 H336		
143-07-7	lauric acid			1 - < 5 %
	205-582-1			
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Show this safety data to the medicating physician.

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

Wash with warm water and soap. Change contaminated clothing.

After contact with eyes

Wash eyes when eyelid opened with soft and clean water for 15 minutes. Call an oculist, particularly if redness, pain or visual impairment occur.

After ingestion

Rinse mouth immediately and drink plenty of water. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).



according to Regulation (EC) No 1907/2006

GRIP Marker Permanent BLACK 13/2399

Print date: 23.10.2015

Product code: 100-008-696

Page 3 of 9

<u>4.2. Most important symptoms and effects, both acute and delayed</u> No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

No data.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water. Carbon dioxide (CO2). Dry chemical. Sand.

Unsuitable extinguishing media

For this substance / preparation no extinguishing agent restriction exist.

5.2. Special hazards arising from the substance or mixture

This material is combustible and can be ignited by heat, sparks, flames, or other sources of ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical resistant suit. Water spray may be used to cool closed containers. Heating causes rise in pressure with risk of bursting. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and clothes. Avoid contact with skin. Change contaminated clothing. Wear personal protection equipment. Keep away unguarded persons. Remove all sources of ignition. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Information for safe handling, see section 7. Information for personal protectice equipment, see section 8. Information for disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and clothes. Avoid contact with skin. Change contaminated clothing. Keep container tightly closed. Secure an adequate ventilation. Emergency eye showers should be directly close-by.

Advice on protection against fire and explosion

Avoid sparks, flames and electrostatic charging. Use only non-sparking tools. Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.

Further information on handling

Keep away from food, beverages and feeding stuff. Do no eat, drink or smoke when using this product. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.



according to Regulation (EC) No 1907/2006

GRIP Marker Permanent BLACK 13/2399

Print date: 23.10.2015

Product code: 100-008-696

Page 4 of 9

Recommended storage temperatur: 5 - 35 °C

Advice on storage compatibility

Store separated from oxidizing agents. Keep away from food, beverages and feeding stuff.

Further information on storage conditions

Protect against: heat.

7.3. Specific end use(s)

No data.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

Additional advice on limit values

Keep away fire.

8.2. Exposure controls

Appropriate engineering controls

Additional information: TA-Luft: Klasse III If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

Solvent-resistant gloves (PVA/H4).

Skin protection

Body protection must be chosen depending on activity and possible exposure, eg Apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

Respiratory protection

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

Environmental exposure controls

Do not allow the product to enter the drains. Do not discharge into the subsoil / soil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	black
Odour:	alcoholic

Test method



according to Regulation (EC) No 1907/2006

GRIP M	arker Permanent BLACK 13/2399	
Print date: 23.10.2015	Product code: 100-008-696	Page 5 of 9
pH-Value:	No data.	
Changes in the physical state		
Melting point:	<-20 °C	
Initial boiling point and boiling range:	78 °C	
Sublimation point:	No data.	
Softening point:	No data.	
Pour point:	No data.	
:	No data.	
Flash point:	12 °C	
Sustaining combustion:	Sustaining combustion	
Flammability Solid:	No data.	
Gas:	No data.	
	No data.	
Explosive properties Vapours may form explosive mixtures with a	air.	
Lower explosion limits:	1,8 vol. %	
Upper explosion limits:	15 vol. %	
Ignition temperature:	270 °C	
Auto-ignition temperature		
Solid: Gas:	No data. No data.	
Decomposition temperature:	No data.	
	NU Uata.	
Oxidizing properties Non-oxidizing.		
Vapour pressure:	58 hPa	
(at 20 °C) Vapour pressure:	293 hPa	
(at 50 °C)	200111 0	
Density (at 20 °C):	ca. 1 g/cm³	
Bulk density:	No data.	
Water solubility:	miscible.	
Solubility in other solvents Miscible with: Ethanol. Water.		
Partition coefficient:	No data.	
Viscosity / dynamic: (at 20 °C)	5,1 mPa⋅s	
Viscosity / kinematic:	No data.	
Flow time:	No data.	
Vapour density:	No data.	
Evaporation rate:	No data.	
Solvent separation test:	No data.	
Solvent content:	71,74 %	
9.2. Other information		
Solid content:	25,00 %	
	,	



according to Regulation (EC) No 1907/2006

GRIP Marker Permanent BLACK 13/2399

Print date: 23.10.2015

Product code: 100-008-696

Page 6 of 9

SECTION 10: Stability and reactivity

10.1. Reactivity

No data.

10.2. Chemical stability

No decomposition, if the regulations/references for storage and handling are respected.

10.3. Possibility of hazardous reactions

No data.

10.4. Conditions to avoid

Avoid sparks, flames and electrostatic charging.

10.5. Incompatible materials

Alkali metals. Alkaline earth metals. strong oxidizers

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
64-17-5	ethanol, ethyl alcohol				
	oral	LD50	6200 mg/kg	Ratte	IUCLID
	inhalative (4 h) vapour	LC50	95,6 mg/l	Ratte	RTECS
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether				
	oral	LD50	> 5000 mg/kg	Ratte	IUCLID
	dermal	LD50	11000 mg/kg	Kaninchen	

Irritation and corrosivity

Primary irritation: Irritant effect on the skin: none known Irritant effect on the eye: Slight irritation possible

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
64-17-5	ethanol, ethyl alcohol	_		_		
	Acute crustacea toxicity	EC50 mg/l	9268 - 14221	48 h	Daphnia magna	IUCLID
107-98-2	1-methoxy-2-propanol; mono	propylene gly	col methyl ether			
	Acute fish toxicity	LC50 mg/l	4600 - 10000	96 h	Leuciscus idus	IUCLID
	Acute algae toxicity	ErC50	> 1000 mg/l	72 h	Selenastrum capricornutum	
	Acute crustacea toxicity	EC50	> 500 mg/l	48 h	Daphnia magna	IUCLID

12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006

GRIP Marker Permanent BLACK 13/2399

Print date: 23.10.2015

Product code: 100-008-696

Page 7 of 9

No data.

12.3. Bioaccumulative potential

No data.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether	-0,437

12.4. Mobility in soil

No data.

12.5. Results of PBT and vPvB assessment

The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Waste disposal according to official state regulations and local regulations. German Waste Catalogue - Waste code: 80102 Disposal identification: Colours without halogenated solvents. Alcohol-based inks.

Contaminated packaging

Clean with ethanol. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

· · · · · · · · · · · · · · · · · · ·	
<u>14.1. UN number:</u>	UN 1210
14.2. UN proper shipping name:	PRINTING INK flammable
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	163 640C
Limited quantity:	5 L
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Other applicable information (land trans) E2	port)
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1210
14.2. UN proper shipping name:	PRINTING INK flammable
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	163 640C
-	



according to Regulation (EC) No 1907/2006

GR	IP Marker Permanent BLACK 13/2399	
Print date: 23.10.2015	Product code: 100-008-696	Page 8 of 9
Limited quantity:	5 L	
Other applicable information (inland wat E2	erways transport)	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN 1210	
14.2. UN proper shipping name:	PRINTING INK flammable	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Special Provisions:	163	
Limited quantity: EmS:	5 L F-E, S-D	
Other applicable information (marine tra		
E2	insport)	
Air transport (ICAO)		
<u>14.1. UN number:</u>	UN 1210	
14.2. UN proper shipping name:	PRINTING INK flammable	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Special Provisions:	A3 A72	
Limited quantity Passenger:	1 L	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	5 L 364	
IATA-max. quantity - Cargo:	60 L	
Other applicable information (air transpo E2	prt)	
Passenger-LQ: Y341		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user No data.		
14.7. Transport in bulk according to Annex No data.	II of MARPOL73/78 and the IBC Code	
Other applicable information	ording to international regulations and in the form applicable in Germany is in other countries are not considered.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information		
2010/75/EU (VOC):	71,78 % (717,8 g/l)	
2004/42/EC (VOC):	71,78 % (717,8 g/l)	
National regulatory information	, - · · · · · · · · · · · · · · · · · ·	
Water contaminating class (D):	2 - water contaminating	



according to Regulation (EC) No 1907/2006

GRIP Marker Permanent BLACK 13/2399

Print date: 23.10.2015

Product code: 100-008-696

Page 9 of 9

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)