conforms to Regulation (EC) No. 1907/2006

## **Demotec 90 - Powder component**

Revision date: 08.01.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Demotec 90 - Powder component

Product group:

UFI:

Powder component 5UUM-P50A-S60W-MDHS

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Plastic (powder component) for treating hooves in cattle.

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Demotec Demel e.K.	
Street:	Brentanostraße 22	
Place:	D-61130 Nidderau	
Telephone:	+49 (0)6187-905670	Telefax:+49 (0)6187-9056711
e-mail:	demotec@demotec.de	
Contact person:	Alexander Demel	Telephone: +49 (0)6187-905670
e-mail:	demotec@demotec.de	
Internet:	www.demotec.de	
1.4. Emergency telephone	Berlin +49 (0)30 - 30686700	
mumah anu		

#### number:

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

## Regulation (EC) No. 1272/2008 [CLP/GHS]

#### Hazard components for labelling

dibenzoyl peroxide; benzoyl peroxide

Signal word: Warning

Pictograms:



#### Hazard statements

H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

## Precautionary statements

oouullonial y olulonio	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to as hazardous waste - in accordance with local and national

Page 1 of 8

conforms to Regulation (EC) No. 1907/2006

## **Demotec 90 - Powder component**

Revision date: 08.01.2023

legislation - suitable, approved incinerator for combustible organic waste.

## 2.3. Other hazards

No information available.

#### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

Mixture based on polymethyl methacrylates and catalyst.

#### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) N	lo. 1272/2008 [CLP/GHS])		
9011-14-7	Acrylic polymer		95 - < 100 %	
94-36-0	dibenzoyl peroxide; benzoyl peroxide		1 - < 5 %	
	202-327-6		01-2119511472-50	
	Org. Perox. B, Eye Irrit. 2, Skin S H410	ens. 1, Aquatic Acute 1, Aquatic Ch	nronic 1; H241 H319 H317 H400	

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Get medical advice/attention if you feel unwell.

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

# 4.2. Most important symptoms and effects, both acute and delayed

## No information available.

## **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Foam Extinguishing powder Carbon dioxide (CO2)

## Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide, Carbon dioxide

Page 2 of 8

conforms to Regulation (EC) No. 1907/2006

## **Demotec 90 - Powder component**

Revision date: 08.01.2023

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Avoid dust formation. Do not breathe dust.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

Plastic (powder component) for treating hooves in cattle.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
94-36-0	Dibenzoyl peroxide	-	5		TWA (8 h)	WEL

#### 8.2. Exposure controls

Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

Page 3 of 8

conforms to Regulation (EC) No. 1907/2006

# **Demotec 90 - Powder component**

Revision date: 08.01.2023

Page 4 of 8

## Hand protection

Material: Protective gloves against mechanical risks according to EN 388. Additional information: Protective gloves should be changed regularly, especially after intensive contact with the product. Gloves must be removed and replaced if they show signs of wear and tear or chemical breakthroughs. A suitable type of glove must be selected for each workplace. Please note the information provided by the glove supplier with regard to permeability and breakthrough time. Also take into account the specific, local conditions under which the product is used, such as the risk of cuts, abrasion and contact time.

#### Skin protection

Wear suitable protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. A suitable dust mask or respirator with filter type P1 or FFP1 (EN143 or EN149) may be suitable. In the unlikely event that particularly large amounts of dust are formed, a self-contained breathing apparatus may be appropriate.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and on Physical state:	Powder
Colour:	dark grey
Odour:	characteristic
Changes in the physical state	
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range: Softening point:	not determined ca. 110 °C
Flash point:	> 250 °C
Flammability	
Solid/liquid: Gas:	not determined
	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Self-ignition temperature	
Solid: Gas:	not determined
	not applicable not determined
Decomposition temperature:	
pH-Value:	not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	1,16 g/cm³
Bulk density (at 20 °C):	700 - 750 kg/m³
Relative vapour density:	not determined
9.2. Other information	

conforms to Regulation (EC) No. 1907/2006

## **Demotec 90 - Powder component**

# Revision date: 08.01.2023 Page 5 of 8 Information with regard to physical hazard classes Oxidizing properties Oxidizing properties Not oxidising. Other safety characteristics 00 % Solid content: 100 % Evaporation rate: not determined Further Information Vertical determined

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

oxidising, Oxidising.

#### 10.2. Chemical stability

May cause decomposition by long-term light influence.

## 10.3. Possibility of hazardous reactions

Exothermic reaction with: Combustible substance, Alkali metals, Alkaline earth metal, Heavy metals, Metal powder, Acid, Base.

## 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

Keep away from combustible material.

## 10.6. Hazardous decomposition products

Formation of: Oxygen.

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008 [CLP/GHS]

#### Acute toxicity

Based on available data, the classification criteria are not met.

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (dibenzoyl peroxide; benzoyl peroxide)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### **SECTION 12: Ecological information**

## 12.1. Toxicity

# The product is not: Ecotoxic.

12.2. Persistence and degradability

# The product has not been tested.

conforms to Regulation (EC) No. 1907/2006

## **Demotec 90 - Powder component**

Revision date: 08.01.2023

#### 12.3. Bioaccumulative potential

The product has not been tested.

## 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, ANNEX XIII. The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No

Page 6 of 8

conforms to Regulation (EC) No. 1907/2006

## **Demotec 90 - Powder component**

Revision date: 08.01.2023

## 14.6. Special precautions for user

No information available.

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III):

## Additional information

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

National regulatory information

Water hazard class (D):	3 - highly hazardous to water
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

## Relevant H and EUH statements (number and full text)

	· · · · · · · · · · · · · · · · · · ·
H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page 7 of 8

conforms to Regulation (EC) No. 1907/2006

# **Demotec 90 - Powder component**

Revision date: 08.01.2023

Page 8 of 8

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)