

## Safety data sheet according to UK REACH

Printing date 26.05.2025

Version number 6 (replaces version 5)

Revision: 12.02.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** RAIDEX Marker Spray 500ml for sheep all colors
- **Article number:**  
SSP-21, SSP-22, SSP-23, SSP-24, SSP-25, SSP-26, SSP-27, SSP-28, SSP-21SV, SSP-22SV, SSP-23SV, SSP-25SV, SSP-26SV, SSP-27SV
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Sector of Use**  
SU21 Consumer uses: Private households / general public / consumers  
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category** PC9a Coatings and paints, thinners, paint removers
- **Process category**  
PROC7 Industrial spraying  
PROC11 Non industrial spraying
- **Application of the substance / the mixture** Paint
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Raidez GmbH  
Neuhäuser Str. 17  
D-72581 Dettingen / Erms  
Tel.: +49 7123 9751 0  
Fax: +49 7213 9751 33  
msds@raidex.de
- **Further information obtainable from:** Department Product Safety
- **1.4 Emergency telephone number:**  
For medical advice (advice in German and English)  
+49 (0) 30 30686 790 (Poison Centre Berlin)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Aerosol 1      H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS09 environment

Aquatic Chronic 2 H411      Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2      H315      Causes skin irritation.

(Contd. on page 2)

# Safety data sheet according to UK REACH

Printing date 26.05.2025

Version number 6 (replaces version 5)

Revision: 12.02.2025

Trade name: RAIDEX Marker Spray 500ml for sheep all colors

(Contd. of page 1)

STOT SE 3 H336 May cause drowsiness or dizziness.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

### Hazard pictograms



GHS02 GHS07 GHS09

### Signal word Danger

### Hazard-determining components of labelling:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Hydrocarbons, C9, aromatics

Hydrocarbons, C9-C10, n-alkanes, iso-alkanes, cyclics, <2% aromatics  
propan-2-ol

### Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe spray.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents / container in accordance with regional regulations.

### Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3 Other hazards

### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

### Dangerous components:

|                            |                          |         |
|----------------------------|--------------------------|---------|
| CAS: 74-98-6               | propane                  | 25-<50% |
| EINECS: 200-827-9          | Flam. Gas 1A, H220       |         |
| Index number: 601-003-00-5 | Press. Gas (Comp.), H280 |         |
| Reg.nr.: 01-2119486944-21  |                          |         |

(Contd. on page 3)

GB

## Safety data sheet according to UK REACH

Printing date 26.05.2025

Version number 6 (replaces version 5)

Revision: 12.02.2025

**Trade name: RAIDEX Marker Spray 500ml for sheep all colors**

|                                                                                                 |                                                                                                                                                                                                                   |             |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| (Contd. of page 2)                                                                              |                                                                                                                                                                                                                   |             |
| EC number: 927-510-4<br>Reg.nr.: 01-2119475515-33                                               | Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics<br>Flam. Liq. 2, H225<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411<br>Skin Irrit. 2, H315; STOT SE 3, H336                                                    | 12.5-<20%   |
| EC number: 918-668-5<br>Reg.nr.: 01-2119455851-35                                               | Hydrocarbons, C9, aromatics<br>Flam. Liq. 3, H226<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411<br>STOT SE 3, H335-H336<br>EUH066                                                                               | 12.5-<20%   |
| CAS: 67-63-0<br>EINECS: 200-661-7<br>Index number: 603-117-00-0<br>Reg.nr.: 01-2119457558-25    | propan-2-ol<br>Flam. Liq. 2, H225<br>Eye Irrit. 2, H319; STOT SE 3, H336                                                                                                                                          | 5-<10%      |
| EC number: 927-241-2<br>Reg.nr.: 01-2119471843-32                                               | Hydrocarbons, C9-C10, n-alkanes, iso-alkanes, cyclics, <2% aromatics<br>Flam. Liq. 3, H226<br>Asp. Tox. 1, H304<br>STOT SE 3, H336<br>Aquatic Chronic 3, H412<br>EUH066                                           | 5-<10%      |
| EC number: 920-134-1<br>Reg.nr.: 01-2119480153-44                                               | Hydrocarbons, C9-C11, isoalkanes, cyclics, <2% aromatics<br>Flam. Liq. 3, H226<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411<br>STOT SE 3, H336                                                                 | 5-<10%      |
| CAS: 13463-67-7<br>EINECS: 236-675-5<br>Index number: 022-006-00-2<br>Reg.nr.: 01-2119489379-17 | titanium dioxide<br>Carc. 2, H351                                                                                                                                                                                 | ≥1-<2.5%    |
| CAS: 110-54-3<br>EINECS: 203-777-6<br>Index number: 601-037-00-0<br>Reg.nr.: 01-2119480412-44   | n-hexane<br>Flam. Liq. 2, H225<br>Repr. 2, H361f; STOT RE 2, H373; Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411<br>Skin Irrit. 2, H315; STOT SE 3, H336<br>Specific concentration limit: STOT RE 2; H373: C ≥ 5 % | ≥0.25-≤0.5% |

• **Additional information:**

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1A 1272/2008 EU), so the classification as carcinogen need not to apply.

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

• **4.1 Description of first aid measures**

• **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

• **After eye contact:** Rinse opened eye for several minutes under running water.

• **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 4)

## Safety data sheet according to UK REACH

Printing date 26.05.2025

Version number 6 (replaces version 5)

Revision: 12.02.2025

Trade name: RAIDEX Marker Spray 500ml for sheep all colors

(Contd. of page 3)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters -**
- **Protective equipment:** Mouth respiratory protective device.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.  
Keep away from ignition sources.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe official regulations on storing packagings with pressurised containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** 2 B
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

#### 67-63-0 propan-2-ol

|     |                                                    |
|-----|----------------------------------------------------|
| WEL | Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm |
|     | Long-term value: 999 mg/m <sup>3</sup> , 400 ppm   |

#### 13463-67-7 titanium dioxide

|     |                                            |
|-----|--------------------------------------------|
| WEL | Long-term value: 10* 4** mg/m <sup>3</sup> |
|     | *total inhalable **respirable              |

(Contd. on page 5)

## Safety data sheet according to UK REACH

Printing date 26.05.2025

Version number 6 (replaces version 5)

Revision: 12.02.2025

**Trade name: RAIDEX Marker Spray 500ml for sheep all colors**

(Contd. of page 4)

**110-54-3 n-hexane**WEL Long-term value: 72 mg/m<sup>3</sup>, 20 ppm· **DNELs****Hydrocarbons, C9, aromatics**

|            |      |                                                 |
|------------|------|-------------------------------------------------|
| Oral       | DNEL | 11 mg/kg /per day (Consumer, longterm systemic) |
| Dermal     | DNEL | 25 mg/kg /per day (Worker, longterm systemic)   |
|            | DNEL | 11 mg/kg /per day (Consumer, longterm systemic) |
| Inhalative | DNEL | 150 mg/m3 (Worker, longterm systemic)           |
|            | DNEL | 32 mg/m3 (Consumer, longterm systemic)          |

**67-63-0 propan-2-ol**

|            |      |                                                  |
|------------|------|--------------------------------------------------|
| Oral       | DNEL | 26 mg/kg /per day (Consumer, longterm systemic)  |
| Dermal     | DNEL | 888 mg/kg /per day (Worker, longterm systemic)   |
|            | DNEL | 319 mg/kg /per day (Consumer, longterm systemic) |
| Inhalative | DNEL | 500 mg/m3 (Worker, longterm systemic)            |
|            | DNEL | 89 mg/m3 (Consumer, longterm systemic)           |

**Hydrocarbons, C9-C10, n-alkanes, iso-alkanes, cyclics, <2% aromatics**

|            |      |                                                 |
|------------|------|-------------------------------------------------|
| Oral       | DNEL | 46 mg/kg /per day (Consumer, longterm systemic) |
| Dermal     | DNEL | 77 mg/kg /per day (Worker, longterm systemic)   |
|            | DNEL | 46 mg/kg /per day (Consumer, longterm systemic) |
| Inhalative | DNEL | 871 mg/m3 (Worker, longterm systemic)           |
|            | DNEL | 185 mg/m3 (Consumer, longterm systemic)         |

**Hydrocarbons, C9-C11, isoalkanes, cyclics, <2% aromatics**

|            |      |                                                  |
|------------|------|--------------------------------------------------|
| Oral       | DNEL | 125 mg/kg /per day (Consumer, longterm systemic) |
| Dermal     | DNEL | 208 mg/kg /per day (Worker, longterm systemic)   |
|            | DNEL | 125 mg/kg /per day (Consumer, longterm systemic) |
| Inhalative | DNEL | 871 mg/m3 (Worker, longterm systemic)            |
|            | DNEL | 185 mg/m3 (Consumer, longterm systemic)          |

· **PNECs****67-63-0 propan-2-ol**

|      |                                    |
|------|------------------------------------|
| PNEC | 140.9 mg/l (Freshwater)            |
| PNEC | 140.9 mg/l (Seawater)              |
| PNEC | 140.9 mg/l (Sporadic release)      |
| PNEC | 2251 mg/l (Sewage treatment plant) |
| PNEC | 552 mg/kg (Freshwater sediment)    |
| PNEC | 552 mg/kg (Seawater sediment)      |

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Appropriate engineering controls** No further data; see section 7.· **Individual protection measures, such as personal protective equipment**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 26.05.2025

Version number 6 (replaces version 5)

Revision: 12.02.2025

Trade name: **RAIDEX Marker Spray 500ml for sheep all colors**

(Contd. of page 5)

· **Respiratory protection:**



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P3

· **Hand protection**



Protective gloves

· **Material of gloves**

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

Butyl rubber gloves with a thickness of 0.4 mm are resistant to:

Acetone: 480 min

Butyl acetate: 60 min

Ethyl acetate: 170 min

Xylene: 42 min

Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42- 480 minutes. As protective measure, we recommend that users and responsible persons for work safety assume solvent resistance length of 42 minutes. Considering the data in section 3 of this SDS, one can assume longer resistance length in particular cases.

· **Eye/face protection** Not required.

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Aerosol

· **Colour:**

According to product specification

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

Not applicable, as aerosol.

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

0.6 Vol %

· **Upper:**

10.9 Vol %

· **Flash point:**

Not applicable, as aerosol.

· **Auto-ignition temperature:**

240 °C (464 °F)

· **Decomposition temperature:**

Not determined.

· **pH**

Not determined.

· **Viscosity:**

· **Kinematic viscosity**

Not determined.

· **Dynamic:**

Not determined.

· **Solubility**

· **water:**

Not miscible or difficult to mix.

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Vapour pressure at 20 °C (68 °F):**

8300 hPa (6225.5 mm Hg)

· **Vapour pressure at 50 °C (122 °F):**

16500 hPa (12376 mm Hg)

· **Density and/or relative density**

· **Density at 20 °C (68 °F):**

0.7 g/cm<sup>3</sup> (5.8 lbs/gal)

(Contd. on page 7)

GB

## Safety data sheet according to UK REACH

Printing date 26.05.2025

Version number 6 (replaces version 5)

Revision: 12.02.2025

Trade name: RAIDEX Marker Spray 500ml for sheep all colors

(Contd. of page 6)

|                                                                                 |                                                                             |
|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| · Relative density                                                              | Not determined.                                                             |
| · Vapour density                                                                | Not determined.                                                             |
| · 9.2 Other information                                                         |                                                                             |
| · Appearance:                                                                   |                                                                             |
| · Form:                                                                         | Aerosol                                                                     |
| · Important information on protection of health and environment, and on safety. |                                                                             |
| · Explosive properties:                                                         | Not determined.                                                             |
| · Solvent content:                                                              |                                                                             |
| · Organic solvents:                                                             | 85.3 %                                                                      |
| · VOC (EC)                                                                      | ---                                                                         |
|                                                                                 | 580.3 g/l                                                                   |
| · VOC-EU%                                                                       | 85.33 %                                                                     |
| · Solids content:                                                               | 21.3 %                                                                      |
| · Change in condition                                                           |                                                                             |
| · Evaporation rate                                                              | Not applicable.                                                             |
| · Information with regard to physical hazard classes                            |                                                                             |
| · Explosives                                                                    | Void                                                                        |
| · Flammable gases                                                               | Void                                                                        |
| · Aerosols                                                                      | Extremely flammable aerosol. Pressurised container:<br>May burst if heated. |
| · Oxidising gases                                                               | Void                                                                        |
| · Gases under pressure                                                          | Void                                                                        |
| · Flammable liquids                                                             | Void                                                                        |
| · Flammable solids                                                              | Void                                                                        |
| · Self-reactive substances and mixtures                                         | Void                                                                        |
| · Pyrophoric liquids                                                            | Void                                                                        |
| · Pyrophoric solids                                                             | Void                                                                        |
| · Self-heating substances and mixtures                                          | Void                                                                        |
| · Substances and mixtures, which emit flammable gases in contact with water     | Void                                                                        |
| · Oxidising liquids                                                             | Void                                                                        |
| · Oxidising solids                                                              | Void                                                                        |
| · Organic peroxides                                                             | Void                                                                        |
| · Corrosive to metals                                                           | Void                                                                        |
| · Desensitised explosives                                                       | Void                                                                        |

\*

### SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

\*

### SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

##### Hydrocarbons, C9, aromatics

|      |      |                              |
|------|------|------------------------------|
| Oral | LD50 | >5000 mg/kg (rat) (OECD 401) |
|------|------|------------------------------|

(Contd. on page 8)

GB

## Safety data sheet according to UK REACH

Printing date 26.05.2025

Version number 6 (replaces version 5)

Revision: 12.02.2025

**Trade name: RAIDEX Marker Spray 500ml for sheep all colors**

(Contd. of page 7)

|                                                                                |            |                                 |
|--------------------------------------------------------------------------------|------------|---------------------------------|
| Dermal                                                                         | LD50       | >2000 mg/kg (rab) (OECD 402)    |
| <b>67-63-0 propan-2-ol</b>                                                     |            |                                 |
| Oral                                                                           | LD50       | 5840 mg/kg (rat)                |
| Dermal                                                                         | LD50       | 13900 mg/kg (rabbit)            |
| Inhalative                                                                     | LC50       | >25 mg/l (rat)<br>LC 50: 6h     |
| <b>Hydrocarbons, C9-C10, n-alkanes, iso-alkanes, cyclics, &lt;2% aromatics</b> |            |                                 |
| Oral                                                                           | LD50       | >15000 mg/kg (rat) (OECD 401)   |
| Dermal                                                                         | LD50       | >3160 mg/kg (rabbit) (OECD 402) |
| Inhalative                                                                     | LC50 / 4 h | >6100 mg/m3 (rat) (OECD 403)    |
| <b>Hydrocarbons, C9-C11, isoalkanes, cyclics, &lt;2% aromatics</b>             |            |                                 |
| Oral                                                                           | LD50       | >5000 mg/kg (rat)               |
| Dermal                                                                         | LD50       | >5000 mg/kg (rabbit)            |

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** No irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

#### Hydrocarbons, C9, aromatics

|             |                                             |
|-------------|---------------------------------------------|
| EC50 / 48 h | 302 mg/l (daphnia magna)                    |
| EC50 / 72 h | 2.75 mg/l (Pseudokirchneriella subcapitata) |
| EC50 / 96 h | 9.2 mg/l (Regenbogenforelle)                |

#### 67-63-0 propan-2-ol

|             |                                      |
|-------------|--------------------------------------|
| LC50/96h    | 9640 mg/l (pimephales promelas; 96h) |
| LC50 / 24 h | 9714 mg/l (daphnia magna)            |

#### Hydrocarbons, C9-C11, isoalkanes, cyclics, <2% aromatics

|             |                                             |
|-------------|---------------------------------------------|
| EC50 / 48 h | 34 mg/l (daphnia magna)                     |
| EC50 / 72 h | 1000 mg/l (Pseudokirchneriella Subcapitata) |
| LC50 / 96 h | 3.6 mg/l (Regenbogenforelle)                |

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 9)

GB

## Safety data sheet according to UK REACH

Printing date 26.05.2025

Version number 6 (replaces version 5)

Revision: 12.02.2025

**Trade name: RAIDEX Marker Spray 500ml for sheep all colors**

(Contd. of page 8)

Do not allow product to reach ground water, water course or sewage system.  
 Danger to drinking water if even small quantities leak into the ground.  
 Also poisonous for fish and plankton in water bodies.  
 Toxic for aquatic organisms

### SECTION 13: Disposal considerations

• **13.1 Waste treatment methods**

• **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• **Uncleaned packaging:**

• **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

• **14.1 UN number or ID number**

• **ADR, IMDG, IATA**

UN1950

• **14.2 UN proper shipping name**

• **ADR**

1950 AEROSOLS, MARINE POLLUTANT/  
ENVIRONMENTALLY HAZARDOUS

• **IMDG**

AEROSOLS, MARINE POLLUTANT

• **IATA**

AEROSOLS, flammable

• **14.3 Transport hazard class(es)**

• **ADR**



• **Class**

2 5F Gases.

• **Label**

2.1

• **IMDG**



• **Class**

2.1 Gases.

• **Label**

2.1

• **IATA**



• **Class**

2.1 Gases.

• **Label**

2.1

• **14.4 Packing group**

• **ADR, IMDG, IATA**

not regulated

• **14.5 Environmental hazards:**

• **Marine pollutant:**

Yes

Symbol (fish and tree)

• **Special marking (ADR):**

Symbol (fish and tree)

(Contd. on page 10)

## Safety data sheet according to UK REACH

Printing date 26.05.2025

Version number 6 (replaces version 5)

Revision: 12.02.2025

**Trade name: RAIDEX Marker Spray 500ml for sheep all colors**

(Contd. of page 9)

- **14.6 Special precautions for user**
- **Hazard identification number (Kemler code):**
- **EMS Number:**
- **Stowage Code**

Warning: Gases.

-

F-D,S-U

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

- **Segregation Code**

SG69 For AEROSOLS with a maximum capacity of 1 litre:

Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.

For AEROSOLS with a capacity above 1 litre:

Segregation as for the appropriate subdivision of class 2.

For WASTE AEROSOLS:

Segregation as for the appropriate subdivision of class 2.

- **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

- **Transport/Additional information:**

- **ADR**

- **Limited quantities (LQ)**

1L

- **Excepted quantities (EQ)**

Code: E0

Not permitted as Excepted Quantity

- **Transport category**

2

- **Tunnel restriction code**

D

- **IMDG**

- **Limited quantities (LQ)**

1L

- **Excepted quantities (EQ)**

Code: E0

Not permitted as Excepted Quantity

- **UN "Model Regulation":**

UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/  
ENVIRONMENTALLY HAZARDOUS

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients is listed.

- **Regulated poisons**

None of the ingredients is listed.

- **Reportable explosives precursors**

None of the ingredients is listed.

- **Reportable poisons**

None of the ingredients is listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **Seveso category**

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

(Contd. on page 11)

GB

## Safety data sheet according to UK REACH

Printing date 26.05.2025

Version number 6 (replaces version 5)

Revision: 12.02.2025

**Trade name: RAIDEX Marker Spray 500ml for sheep all colors**

(Contd. of page 10)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.
- H361f Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

· **Classification according to Regulation (EC) No 1272/2008**

Data is based on internal technical data and technical data from suppliers.

· **Abbreviations and acronyms:**

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Gas 1A: Flammable gases – Category 1A
- Aerosol 1: Aerosols – Category 1
- Press. Gas (Comp.): Gases under pressure – Compressed gas
- Flam. Liq. 2: Flammable liquids – Category 2
- Flam. Liq. 3: Flammable liquids – Category 3
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Carc. 2: Carcinogenicity – Category 2
- Repr. 2: Reproductive toxicity – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
- Asp. Tox. 1: Aspiration hazard – Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **\* Data compared to the previous version altered.**